

# Safer<sup>®</sup>

BRAND

## Grub Killer

Ready-to-Spray

Mata Larvas Listo  
Para Rociar

Kills Sod  
Webworms



Kills  
Chinch  
Bugs



Treats up to  
4,000 sq. ft.

Kills  
Mole  
Crickets



Kills Larval  
Stages of  
Insects



ACTIVE INGREDIENTS:	BY WT.
Azadirachtin.....	0.09%
OTHER INGREDIENTS:	99.91%
TOTAL.....	100.00%

NET CONTENTS 32 FL. OZ. (946 ml)

LBL5611F-2

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See back panel for additional  
Precautionary Statements & First Aid.

**MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS**

**PRECAUCIÓN** Vea las advertencias adicionales  
y los primeros auxilios al dorso.

INSTRUCCIONES EN ESPAÑOL AL REVERSO

**PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**FIRST AID**

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call poison control center or doctor for further treatment advice.

**Have the product container or label with you when calling a poison control center or doctor or going for treatment. Hot Line Number: 1-800-858-7378.**

**ENVIRONMENTAL HAZARDS:**

This product is hazardous to fish and aquatic invertebrates. For terrestrial use: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

**PHYSICAL OR CHEMICAL HAZARDS:**

Flammable. Keep away from heat and open flame.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake well before using. Use spray solutions within 8 hours of mixing for maximum effectiveness. Do not store diluted spray solution for later use.

Not for use in food handling areas. Since Grub Killer interferes with insect growth functions, it is most effective when applied 2-3 times at 7-10 day intervals.

Application directly onto the target pest will increase efficacy. Time applications for early to mid-morning or late afternoon.

Do not add other chemicals to Grub Killer Solution. Do not apply to wilted, stressed, or newly transplanted materials prior to root development. Do not apply to known sensitive plant species without prior testing.

**Hose End Applicator Instructions:**

1. Make sure knob is twisted fully clockwise to OFF position. Shake well, then attach to hose.
2. Turn Product Control Button clockwise until the flat portion is flush with the lock tab, then push button all the way in. Avoid squeezing the bottle.
3. Turn water on at faucet, aim nozzle toward surface to be sprayed and turn knob counter-clockwise to begin spraying.
4. When finished, push Product Control Button to OFF position from opposite side. Return knob and faucet to OFF position. Discharge water pressure by turning knob ON and OFF again. Turn Product Control Button counter-clockwise away from lock tab to prevent accidental discharge. Store out of reach of children.

**Foliar Application (Trees and Shrubs)** For use on trees and shrubs on home landscapes to control the immature larval stages of the following insect pests:

**PESTS:**

Leafminers  
Leaf hoppers

(continued)

**PESTS:**

Gypsy moths  
Weevils  
Psyllids  
Webworms  
Hornworms  
Spruce bud worms  
Pine sawflies  
Elm leaf beetle  
Grasshoppers

**Lawn Application:** For use on home lawns to control the immature larval stages of the following insect pests:

**PESTS:**

Mole crickets  
White Grubs  
Sod webworms  
Fall armyworms  
Chinch bugs  
Hyperodes weevil  
Billbugs

**STORAGE & DISPOSAL**

**Pesticide Storage:** Keep in original container. Store in a cool dry place, away from direct sunlight, feed or foodstuffs. Keep container tightly sealed when not in use. Do not store below 50°F (10°C) or above 95°F (35°C).

**Pesticide and Container Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**USE DIRECTIONS:**

The 32oz hose-end applicator for trees and shrubs will treat up to 10 ten foot trees. Repeat application 2 to 3 times at an interval of 7-10 days. Apply to leaf surfaces to run-off. Be sure to coat underside of leaves as this is where many insects hide. Avoid excessive application.

**ADVERTENCIAS**

Peligro para humanos y animales domésticos

**PRECAUCIÓN:** Es perjudicial si se traga o se absorbe a través de la piel. Causa irritación en los ojos. Evite el contacto con la piel, los ojos o la ropa. Dañino si se inhala. Evite respirar la atomización del rocío. Lávese cuidadosamente con agua y jabón después de manipular este producto y antes de comer, beber o utilizar goma de mascar o productos de tabaco. Retire la ropa contaminada y lávela antes de volverla a usar.

**PRIMEROS AUXILIOS**

Si se traga:

- Llame al centro de envenenamiento o al médico para recibir orientación sobre tratamiento.
- Haga que la persona tome un vaso de agua a sorbos si puede tragar.
- No induzca el vómito a menos que sea indicado por el centro de envenenamiento o un médico.
- No le dé nada por boca a una persona inconsciente.

Si entra en contacto con la piel o la ropa:

- Quite la ropa contaminada.
- Enjuague la piel inmediatamente con abundante agua durante 15-20 minutos.
- Llame a un Centro de Control de Envenenamiento o a un médico para obtener asesoría en cuanto al tratamiento.

Si está en contacto con los ojos:

- Mantenga los ojos abiertos y enjuague suave y lentamente con agua por 15-20 minutos.
- Si usa lentes de contacto, retírelas después de los primeros 5 minutos, luego continúe enjuagando los ojos.

-Llame al centro de envenenamiento o al médico para obtener orientación sobre el tratamiento.

**Si se inhala:**

- Traslade a la persona al aire fresco.
- Si la persona no está respirando llame al 911 o a una ambulancia, luego dé respiración artificial, preferiblemente boca a boca si es posible.
- Llame al centro de envenenamiento o al médico para orientación sobre el tratamiento adicional.

**Tenga el envase del producto o la etiqueta a la mano cuando llame al Centro de Control de Envenenamientos o al médico, o cuando procure tratamiento. También puede comunicarse al 1-800-858-7378 para obtener asesoría en cuanto al tratamiento médico de emergencia.**

**RIESGOS AMBIENTALES:**

Este producto es tóxico para los peces y los invertebrados acuáticos. Para uso terrestre: No aplique directamente en el agua, en las zonas donde haya presencia de aguas superficiales o en zonas intermareales por debajo de la marca de pleamar media. No contamine el agua cuando deseche el agua con que lavó el equipo o el agua contaminada con el producto.

**RIESGOS FÍSICOS O QUÍMICOS:**

Inflamable. Mantenga alejado del calor y las llamas expuestas.

**INSTRUCCIONES PARA EL USO:**

El uso de este producto de modo inconsecuente con las instrucciones de la etiqueta constituye una violación de las leyes federales.

Agite bien antes de utilizar.

No utilizar en áreas donde se manipulen alimentos. Dado que el Mata larvas interfiere con las funciones de crecimiento de los insectos, es más efectivo cuando se aplica 2-3 veces a intervalos de 7-10 días. La aplicación directa sobre la plaga que representa el objetivo aumenta la eficacia. Programe las aplicaciones para temprano a media mañana o tarde al atardecer.

No aplique sobre plantas mustias, debilitadas, o recientemente trasplantadas antes de que hayan desarrollado raíces. No aplique a especies de plantas comprobadamente delicadas sin antes efectuar una prueba.

**Rociador para extremo de manguera:** Fácil de utilizar

1. Verifique que la perilla esté completamente girada en el sentido horario a la posición OFF (cerrado). Agite bien antes de fijar a la manguera.
2. Gire el botón de control de producto en el sentido horario hasta que la porción plana se encuentre a ras con la pestaña de bloqueo, luego presione el botón completamente hacia adentro. Evite apretar el envase.
3. Abra el suministro de agua en el grifo, dirija la boquilla hacia la superficie y luego gire la perilla en el sentido antihorario para comenzar a rociar.

4. Cuando termine, presione el botón de control del producto a la posición OFF (cerrado) desde el lado opuesto. Regrese la perilla y el grifo a la posición OFF (cerrado). Alivie la presión del agua girando la perilla hacia la posición ON y OFF nuevamente. Gire el botón de control del producto en el sentido antihorario apartándolo de la pestaña de bloqueo para evitar la descarga accidental. Guarde fuera del alcance de los niños.

**Aplicación a la hoja (Árboles y arbustos)** Para uso en árboles y arbustos en jardines de la vivienda para controlar las etapas larvarias inmaduras de las siguientes plagas de insectos:

PLAGAS

Minadores de las hojas  
Cigarras  
Lagarta peluda  
Escarabajos rubios  
Pulguitas  
Orugas tejedora  
Gusanos de cuernos  
Gusanos del brote de abeto  
Moscas blancas del pino  
Escarabajos de la hoja del olmo  
Saltamontes

**Aplicación en el césped:** Para uso en el césped de la vivienda para controlar las etapas larvarias inmaduras de las siguientes plagas de insectos:

PLAGAS

Grillotalpas  
Larvas blancas  
Orugas tejedora de césped  
Gusanos soldado del otoño  
Chinchies  
Escarabajos rubios  
Hyperodes  
Picudos

INSTRUCCIONES PARA EL USO

Repita la aplicación de 2 a 3 veces a intervalos de 7-10 días para asegurar el control eficaz de los parásitos de alimentación superficiales y subsuperficiales.

ALMACENAMIENTO Y ELIMINACIÓN

**Almacenaje del pesticida:** Mantenga en el envase original. Almacene en un lugar fresco y seco, alejado de la luz directa del sol, forraje y viveres. Mantenga el envase firmemente sellado cuando no esté en uso. No almacene por debajo de 50°F (10°C) o por encima de 95°F (35°C).

**Desecho del pesticida y del envase:**

**DESECHO:** Si el envase está vacío: No reutilice este envase. Colóquelo en la basura o de ser posible, entréguelo para reciclar. Si el envase está parcialmente lleno: Llame a la agencia local encargada de los desechos sólidos para obtener las instrucciones para su eliminación. Nunca coloque un producto que no se ha usado en un desagüe interior o exterior.

**Nota:** Woodstream Corporation garantiza que el material incluido aquí cumple con la descripción de la etiqueta y es razonablemente adecuado para los propósitos indicados en las instrucciones de uso. Los tiempos y el método de aplicación, el clima, las prácticas de riego, la naturaleza del suelo, el problema de los insectos, las condiciones de la cosecha, la incompatibilidad con otros productos químicos no recomendados específicamente y otros factores que pueden influir en el uso de este producto están fuera del control del vendedor. El comprador asume todos los riesgos del uso, almacenaje o manipulación de este material que no se ajusten estrictamente a las instrucciones aquí entregadas. **NO SE ESTABLECE NINGUNA OTRA GARANTÍA EXPRESA O IMPLÍCITA DE COMERCIABILIDAD O IDONEIDAD.**

Fabricado por: Woodstream Corporation  
 Woodstream  
69 N. Locust Street  
Lititz, PA 17543  
1-800-800-1819 • 717-626-212

**Note:** Woodstream Corporation warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, conditions of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.**

Distributed by:  
Safer®, Inc. (A wholly owned subsidiary of Woodstream Corporation)

 woodstream  
69 N. Locust Street  
Lititz, PA 17543  
1-800-800-1819 • 717-626-2125

EPA Reg. No. 70051-6-42697  
EPA. Est. No. 63416-MN-01

All © Property of Woodstream Corporation  
©2009 Woodstream Corporation

0109  
LBL5611B-2

Look for other Safer® Brand products at [www.saferbrand.com](http://www.saferbrand.com)



NET CONTENTS 32 FL. OZ. (946 ml)

Model No. 5611 Made in USA  
Modelo No. 5611 Hecho en EE.UU.

# Safer®

BRAND

## Grub Killer Ready-to-Spray

Always Shake  
Well Before Using!

### *Mata Larvas Listo Para Rociar*

#### GENERAL INFORMATION:

Grub Killer's effectiveness is based on several modes of action. It disrupts insects' delicate hormonal balance so they die before they molt to the next life stage. Grub Killer suppresses some insects' desire to feed and also repels many insects in areas that have been sprayed.

These different modes of action result in broad spectrum control of the majority of insects that harm your yard and garden. Grub Killer kills or repels a broad spectrum of insect pests. Grub Killer spares many beneficial insects such as honey bees and lady bugs that prey on undesirable insects. Without beneficial insect to control pest populations, plants are even more vulnerable to new infestations.

Note: Woodstream Corporation warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, conditions of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.

Distributed by:  
Safer®, Inc. (A wholly-owned  
subsidiary of Woodstream Corporation)

**Woodstream**  
69 North Locust Street,  
Lititz, PA 17543  
1-800-800-1819 • 717-626-2125

EPA Reg. No. 70051-6-42697  
EPA Est. No. 63416-MN-01

**All ® Property of Woodstream Corporation**  
© Copyright 2009 Woodstream Corp.

Model No. 5611 Made in USA  
Modelo No. 5611 Hecho en EE.UU.  
LBL5611B-2

Look for other Safer® Brand  
products at [www.saferbrand.com](http://www.saferbrand.com)



NET CONTENTS 32 FL. OZ. (946 ml)

0109

PULL HERE TO OPEN/PRESS TO RESEAL  
DESPIENDA PARA ABRIR Y ENCONTRAR  
INFORMACION E INSTRUCCIONES ADICIONALES